


# EXCELLENS T STANDARD TRUNKING

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- LENGTH 2mt
- ROUNDED BASE AND COVER
- SPRING CENTRAL COUPLING
- PRE-PERFORATED BASE FOR WALL MOUNTING
- PREPARED FOR THE INSERTION OF EASY FLOW, EASY ONE, AQUA SPLIT (DUCT T72 ONLY)



MODEL	DIMENSIONS (mm)	
	A	B
T 60 - EXC	60	52
T 72 - EXC	72	64
T 100 - EXC	98	73


THE BASE IS FIXED TO THE WALL USING THE PRE-MOLDED SLOTS (FIXING KIT IN THE CATALOGUE) THEN THE REFRIGERANT PIPES, THE CONDENSATION PIPE AND THE POWER CABLES ARE INSTALLED.

EVERYTHING IS CONTAINED BY THE **NEW "BLOCK" FIXING SYSTEM**. THE COVER **IS APPLIED QUICKLY AND EFFECTIVELY**, THROUGH A BENDING SYSTEM, **ENSURING INSULATION OF THE CONTENTS FROM WEATHERING**.

THIS IS A **SOLUTION WITH A REMARKABLE AESTHETIC EFFECT EVEN MORE ENHANCED BY THE PERFECTLY GLOSSY APPEARANCE OF THE TRUNKING AND THE ELEGANT ROUNDING THAT ELIMINATES ANY WALL DEFECTS**.

AVAILABLE IN THE VERSIONS: **TOP LINE - NEW LINE - ECO LINE - BROWN LINE - BLACK LINE**

 **MADE IN ITALY**



-   
IVORY  
RAL 9002  
TOP LINE
-   
WHITE  
RAL 9010  
NEW LINE
-   
PEARL GREY  
RAL 9003  
ECO LINE
-   
BROWN  
RAL 8017  
BROWN LINE
-   
BLACK  
RAL 9005  
BLACK LINE

## APPLICATIONS

 **DUCT T 60 - EXC**  
Suitable for mono split installation

  **DUCT T 72 - EXC**  
Suitable for mono split and dual split installation

    **DUCT T 100 - EXC**  
Suitable for up to four splits installation

MODEL	MIN. QUANTITY	TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		CODE	CODE	CODE	CODE	CODE
T 60 - EXC	10 PC. = 20 mt	11120060	N11120060	E11120060	-	-
T 72 - EXC	8 PC. = 16 mt	11120072	N11120072	E11120072	SCD100006	SCD100051
T 100 - EXC	5 PC. = 10 mt	11120010	N11120010	E11120010	SCD100008	SCD100053

**NEW**

**NEW**



# EXCELLENS TP STANDARD TRUNKING WITH PROTECTION FILM

**NEW**

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- LENGTH 2mt
- ROUNDED BASE AND COVER
- SPRING CENTRAL COUPLING
- PRE-PERFORATED BASE FOR WALL MOUNTING
- PREPARED FOR THE INSERTION OF EASY FLOW, EASY ONE, AQUA SPLIT (DUCT T72 ONLY)
- COVER WITH BLUE CLEAR PROTECTIVE FILM IN LOW DENSITY POLYETHYLENE

TRUNKING FITTED WITH A PRACTICAL PROTECTION FILM, TO BE REMOVED ONCE THE WORK IS COMPLETED. THE REMOVABLE FILM IS USED TO PROTECT THE TRUNKING DURING INSTALLATION. ONCE THE WORK IS COMPLETED IT WILL BE REMOVED THUS ENSURING CLEANLINESS OF THE TRUNKING IT SELF.




 MADE IN ITALY

WITH LOW DENSITY POLYETHYLENE PROTECTION FILM

 WHITE RAL 9010 NEW LINE


WITH REMOVABLE FILM






## APPLICATIONS



**T 60 - EXCP TRUNKING**  
Suitable for mono split installation



**T 72 - EXCP TRUNKING**  
Suitable for mono split and dual split installation




**T 100 - EXCP TRUNKING**  
Suitable for up to four splits installation

MODEL	CODE	MIN. QUANTITY	DIMENSIONS	
			A (mm)	B (mm)
TP 60 - EXC	SCD100099	10 PC. = 20 mt	60	52
TP 72 - EXC	SCD100100	8 PC. = 16 mt	72	64
TP 100 - EXC	SCD100101	5 PC. = 10 mt	98	73

# EXCELLENS™ WALL COVER

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- EXTERNAL DOMING TO FACILITATE THE CURVE OF PIPES
- EXTERNAL HOLE COVER CROWN
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE** IVORY RAL 9002
- NEW LINE** WHITE RAL 9010
- ECO LINE** PEARL GREY RAL 9003
- BROWN LINE** BROWN RAL 8017
- BLACK LINE** BLACK RAL 9005

MADE IN ITALY



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
TM 60-EXC	5 PC.	66	56	165	96	68	11124160	N11124160	E11124160	-	-
TM 72-EXC	5 PC.	78	68	185	108	78	11124172	N11124172	E11124172	SCD100010	SCD100055
TM 100-EXC	3 PC.	104	78	220	137	92	11124110	N11124110	E11124110	SCD100011	SCD100056


**NEW**

**NEW**

# EXCELLENS™ TA CORNER CAP

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- EXTERNAL HOLE COVER CROWN
- INCLINED PLANE TO FACILITATE THE PASSAGE OF PIPES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE** IVORY RAL 9002
- NEW LINE** WHITE RAL 9010
- ECO LINE** PEARL GREY RAL 9003
- BROWN LINE** BROWN RAL 8017
- BLACK LINE** BLACK RAL 9005

MADE IN ITALY

smart clima



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
TA 60-EXC	5 PC.	66	56	113	110	60	11122110	N11122110	E11122110	-	-
TA 72-EXC	5 PC.	78	68	125	114	72	11122120	N11122120	E11122120	SCD100013	SCD100058
TA 100-EXC	3 PC.	104	78	155	121	83	11122130	N11122130	E11122130	SCD100014	SCD100059

**NEW**


**NEW**

# EXCELLENS CP FLAT ELBOW

MADE IN ITALY

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE INTERNAL CURVATURE RADIUS
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY RAL 9002
- NEW LINE  WHITE RAL 9010
- ECO LINE  PEARL GREY RAL 9003
- BROWN LINE  BROWN RAL 8017
- BLACK LINE  BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
CP 60 - EXC	5 PC.	66	56	101	11120160	N11120160	E11120160	-	-
CP 72 - EXC	5 PC.	78	68	118	11120172	N11120172	E11120172	SCD100016	SCD100061
CP 100 - EXC	3 PC.	104	77	152	11120100	N11120100	E11120100	SCD100017	SCD100062

NEW


NEW



# EXCELLENS CPS ARTICULATED FLAT ELBOW

MADE IN ITALY

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE INTERNAL CURVATURE RADIUS, ADJUSTABLE FROM 90° TO 135°
- UNIVERSAL FOR INTERNAL OR EXTERNAL CURVES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY RAL 9002
- NEW LINE  WHITE RAL 9010
- ECO LINE  PEARL GREY RAL 9003
- BROWN LINE  BROWN RAL 8017
- BLACK LINE  BLACK RAL 9005



MODEL	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
	A	B	C	CODE	CODE	CODE	CODE	CODE
CPS 60 - EXC	66	56	110	11121111	N11121111	E11121111	-	-
CPS 72 - EXC	78	68	130	11121110	N11121110	E11121110	SCD100019	SCD100064


NEW

NEW

# EXCELLENS CA ANGLE ELBOW

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- UNIVERSAL FOR INTERNAL OR EXTERNAL CURVES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY  
RAL 9002
- NEW LINE  WHITE  
RAL 9010
- ECO LINE  PEARL GREY  
RAL 9003
- BROWN LINE  BROWN  
RAL 8017
- BLACK LINE  BLACK  
RAL 9005

 MADE IN ITALY



MODEL	MIN. Q.	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
CA 60 - EXC	5 PC.	66	56	84	11120260	N11120260	E11120260	-	-
CA 72 - EXC	5 PC.	78	68	98	11120272	N11120272	E11120272	SCD100021	SCD100066
CA 100 - EXC	3 PC.	104	78	113	11120210	N11120210	E11120210	SCD100022	SCD100067


**NEW**

**NEW**

# EXCELLENS CAS ARTICULATED ANGLE ELBOW

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE CURVATURE RADIUS, ADJUSTABLE FROM 90° TO 135°
- UNIVERSAL FOR INTERNAL OR EXTERNAL CURVES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY  
RAL 9002
- NEW LINE  WHITE  
RAL 9010
- ECO LINE  PEARL GREY  
RAL 9003
- BROWN LINE  BROWN  
RAL 8017
- BLACK LINE  BLACK  
RAL 9005

 MADE IN ITALY



MODEL	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
	A	B	C	CODE	CODE	CODE	CODE	CODE
CAS 60 - EXC	66	56	104	11123111	N11123111	E11123111	-	-
CAS 72 - EXC	78	68	120	11123110	N11123110	E11123110	SCD100024	SCD100069


**NEW**

**NEW**

# EXCELLENS MG COUPLING

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY RAL 9002
- NEW LINE  WHITE RAL 9010
- ECO LINE  PEARL GREY RAL 9003
- BROWN LINE  BROWN RAL 8017
- BLACK LINE  BLACK RAL 9005

 MADE IN ITALY



MODEL	MIN. Q.	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
MG 60 - EXC	5 PC.	66	56	50	11121060	N11121060	E11121060	-	-
MG 72 - EXC	5 PC.	78	68	50	11121072	N11121072	E11121072	SCD100026	SCD100071
MG 100 - EXC	3 PC.	104	77	50	11121100	N11121100	E11121100	SCD100027	SCD100072


**NEW**

**NEW**

# EXCELLENS TC END CAP

## TECHNICAL FEATURES

- ECO-FRIENDLY SHOCK AND UVA-RESISTANT PVC
- TRUNKING PROFILE LOCATING RIDGE
- SHRINK-WRAPPED WITH BARCODE
- USED TO CAP DUCTS



- TOP LINE  IVORY RAL 9002
- NEW LINE  WHITE RAL 9010
- ECO LINE  PEARL GREY RAL 9003
- BROWN LINE  BROWN RAL 8017
- BLACK LINE  BLACK RAL 9005

 MADE IN ITALY



MODEL	MIN. PACK	DIMENSIONI (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
TC 60 - EXC	5 PCS	66	56	66	N.D.	N11122170	E11122170		
TC 72 - EXC	5 PCS	78	68	78	11122180	N11122180	E11122180	SCD100038	SCD100083
TC 100 - EXC	3 PCS	104	78	104	11122190	N11122190	E11122190	SCD100039	SCD100084

**NEW**


**NEW**

# EXCELLENS RM WALL ROSETTE

MADE IN ITALY

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- EXTERNAL COVER CROWN
- HEAT-SHRINK PACKAGING WITH BAR CODE
- MADE WITH 2 LOCKING PIECES
- ALLOWS THE PASSAGE OF THE PIPES THROUGH WALLS WITH AN EXCELLENT AESTHETIC RESULT



- TOP LINE: IVORY RAL 9002
- NEW LINE: WHITE RAL 9010
- ECO LINE: PEARL GREY RAL 9003
- BROWN LINE: BROWN RAL 8017
- BLACK LINE: BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)				TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	CODE	CODE	CODE	CODE	CODE
RM 60 - EXC	5 PC.	66	56	105	97	11122060	N11122060	E11122060	-	-
RM 72 - EXC	5 PC.	78	68	120	112	11122072	N11122072	E11122072	SCD100032	SCD100077
RM 100 - EXC	3 PC.	104	78	167	143	11122100	N11122100	E11122100	SCD100033	SCD100078

NEW

NEW


# EXCELLENS TS PIPE OUTLET END SOCKET

MADE IN ITALY

smart clima

## TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- HEAT-SHRINK PACKAGING WITH BAR CODE
- PRE-CUT FOR PIPE NECK
- GALVANISED SCREWS



- TOP LINE: IVORY RAL 9002
- NEW LINE: WHITE RAL 9010
- ECO LINE: PEARL GREY RAL 9003
- BROWN LINE: BROWN RAL 8017
- BLACK LINE: BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
TS 60 - EXC	5 PC.	66	56	75	30	60	11124060	N11124060	E11124060	-	-
TS 72 - EXC	5 PC.	78	68	90	35	67	11124072	N11124072	E11124072	SCD100035	SCD100080
TS 100 - EXC	3 PC.	104	78	110	35	67	11124100	N11124100	E11124100	SCD100036	SCD100081

NEW

NEW

# EXCELLENS DT "T" JOINT


 **MADE IN ITALY**

## TECHNICAL FEATURES

- RIGID SHOCKPROOF PVC, ANTI GRAPE AND RECYCLABLE
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE INTERNAL CURVATURE RADIUS
- SEPARATE REDUCTIONS SUPPLIED (FOR MOD. DT60 AND DT72)
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS

## CHARACTERISTICS

- DT 60 CONSISTING OF: N° 1 "T" 72 E N° 2 REDUCTIONS RC 72/60-EXC
- DT 72 CONSISTING OF: N° 1 "T" 100 E N° 3 REDUCTIONS RC 100/72-EXC
- DT 100 CONSISTING OF: N° 1 "T" 100 WITHOUT REDUCTIONS (SEE P.19)



- TOP LINE**  IVORY RAL 9002
- NEW LINE**  WHITE RAL 9010
- ECO LINE**  PEARL GREY RAL 9003
- BROWN LINE**  BROWN RAL 8017
- BLACK LINE**  BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
DT 60 - EXC	3 PC.	66	56	166	125	38	11123060	N11123060	E11123060	-	-
DT 72 - EXC	3 PC.	78	68	200	150	40	11123072	N11123072	E11123072	SCD100041	SCD100086
DT 100 - EXC	3 PC.	104	77	200	150	-	11123100	N11123100	E11123100	SCD100042	SCD100087

**NEW**

**NEW**